

E-Z-HOOK

TEST AND PRODUCTION CONNECTORS

• CLIPS • ADAPTERS • TEST LEADS • PROBES



- Instantly connects anywhere — Won't cut or nick.



Patented hook tip connects anywhere. 1. Push to connect. 2. Push again to remove.

U.S. PATENT No. 2702892

- Won't short or jump off — Our hands free.

NEW
E-Z-HOOK MINIATURE

SAVE TIME®
E-Z-HOOKS
SAVE TROUBLE

New E-Z-HOOK TEST CLIPS
★ ★ SPEED SERVICING ★ ★

ACTUAL SIZE

NEW
E-Z-HOOK MINIATURE
Test Clip

U.S. Patent 2702892

Enjoy Care-Free

**MINIATURE
SUB-MINIATURE**

- MICRO-MINIATURE Connections

TYPE X-100 ☐
Mini-HOOK "Q" Ball

only
49c
each



E-Z-HOOK®
With New



"Hypo" Squeeze-Action

- Gives Positive Control
- Won't Jump Off
- Can't Short Out
- Won't Nick Tiny Wires

plus

Built-in Reliability

- ★ Stainless Steel Spring
- ★ Zytel Nylon Insulation
- ★ Beryllium Copper Hook

E-Z-HOOK Test Products Covington, Ky.

® U.S. Patent Office

MADE IN USA

Keep Handy
for

- Printed Circuits
- Transistor Sets
- CB Transceivers
- Computer Units
- Hearing Aids
- Low Voltage
- Low Current Applications

Don't Wish you had!
Get it... Now!

**Satisfaction
Guaranteed**



Test Lead

TYPE AX-1 ☐
Std. (.080) Tip

only
89c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

only
94c
net
Complete
Ready to
plug in
each

JUMPER —
Convert need

pleasant

E-Z-H

the

me

But

me

But

me

But

me

But

me

But

me

But

me

But

me

But

me

But

me



is, in regular
er tool
le practice.

**MINIATURE PARTS
WITH-OUT SOLDERING**

Quickly
with

Has
1001 Uses!

NEW E-Z-Hook
"SUB"
Connectors

Connect a
speaker, or

Substitute a

- transformer
- capacitor
- resistor, or choke

In Seconds!!

- ★ Makes connections instantly!
- ★ Won't pull off!
- ★ Insures positive contact!

Saves time, money and parts in servicing,
experimenting, instructing and production.

E-Z-HOOK SUB

No. 71-1 SUB

Six Colors! — for Easy Lead Identification
At Your Favorite Parts Distributor

E-Z-HOOK TEST PRODUCTS

COVINGTON, KY.
Patent No. 2702892

Box 105 • Covington

E-Z-HOOK®
Box 105 Covington
Ky. 41012

Phone 606-261-1495


E-Z-HOOK®

TEST AND PRODUCTION CONNECTORS

• CLIPS • ADAPTERS • TEST LEADS • PROBES


Pat. No. 2702892

Designed for Your Pleasure and Profit



Reduces rejects, repairs & salvage... protects Quality


The Gentle Connector



E-Z-Mini-HOOK X-100

Hold between the thumb and two fingers, (like a hypodermic needle). Press on "Q" Ball with thumb until hook is exposed. Release pressure, to close.


Easy To Use




Reach 1/4" through a .080 slot

Makes connections in places never before possible

Hard-To-Get-To Places




Not A Short In The Dozen



World's smallest in size...Biggest in performance!

(E-Z-Mini-HOOK)

Miniature Clip



No holes to drill, or washers & nuts to place

Harness Cable Board Clip

Catalogue In
V.S.M.F. -- ascam

Satisfaction Guaranteed

eem -- Radio Master

Order E-Z-HOOKs from your Parts Distributor or direct from Factory

SAVE TIME®
E-Z-HOOKs
SAVE TROUBLE

® E-Z-HOOK is a Reg. T.M.




Automatic short protection...spring keeps Nylon insulator over any unused clip metal.... Provides constant protection against accidental shorts.

Won't Short --- Can't Pull Off




To connect: Place Nylon end on Test Point... Press on test point until hook extends over it... Slide hook over test point and release!

Easy To Use



A new freedom of action in connecting

Connects Anywhere



Made of finest materials in an efficient hook design that provides good, reliable performance

Durably Constructed

E-Z-HOOK®

TEST AND PRODUCTION CONNECTORS

• CLIPS • ADAPTERS • TEST LEADS • PROBES



eem File System	Sec.
electronic engineers master	2100

1536 Woodburn Avenue
Covington, Ky. 41012
Tel. 606-261-1495

Thank you,

For your interest in E-Z-HOOK "Nail" Clips. We're happy to tell you about this unique Harness Cable Board Clip that lets you produce a completed harness... ready for Final Inspection..... when the last lacing tie is made.

With them, you can enjoy a new high in Cable Quality and obtain exciting savings in your Harness Cable Operations. (Over \$20,000 in annual net savings reported by Westinghouse in the enclosed Reprint, when they switched from nails to E-Z-HOOKs).

By using E-Z-HOOK "Nail" Clips to hold the ends of the wires, instead of wrapping them around nails, you can:-

1. Machine cut and strip wires to exact size, (at a rate of thousands per hour), and inspect them before they are used on the board. (Makes it easier, saves time, and the thousands of inches of wire you are now generating into scrap wire ends.)
2. You can, if needed, tin the wire ends in batches; attach terminals, and identification sleeves; completely inspect and catch defects and mistakes before the wires are placed in production. (It's faster, easier, and lets you eliminate potential rejects before they are tied in place, not after, when they then become costly repair and salvage operations.)
3. You eliminate, with E-Z-HOOKs, the tiring, time consuming hand operations of individually cutting, stripping, tinning, or attaching lugs and labels to each wire end, that is now necessary to do after the harness is tied. (At a time when every slip becomes a reject, and a costly repair or salvage operation; and when your Cable Quality is already taking a beating from all the handling and mis-handling.)

But, improved quality and production savings are not all you enjoy with E-Z-HOOK "Nail" Clips. With them, Processing is easier and more exact. You can save up to 30% and more on some Harness Board construction. (On some, reported, as much as 80%). Engineering Changes become so much easier to make. Actually made right on the production line, for the "Nail" Clip can be removed and relocated in less than a minute....the new wire length can be cut and inspected and production continued with a minimum of interruption. Inspection is easier and more effective. Production Operators like their quick, easy action and the firmness of the E-Z-HOOK grip. Foremen have reported they are better than anything they had ever used....and improved quality, increased production and drop in rejects, repairs and salvage is always welcome news, to everyone.

Thanks for giving us this opportunity to tell you more about E-Z-HOOK "Nail" Clips. If you would like to try, or recommend this easy way to improve Quality and Production Savings in your Harness Cable Operations, we'll be pleased to help. Just order a suitable quantity..... try them for 30 Days....if they don't return their cost, in time and material savings by then, send them back to us, and we'll promptly refund your money. Thank You.

Yours sincerely,

Bob Younger
Robert N. Younger
Sales Manager

P.S. Type 81-1 E-Z-HOOK "Nail" Clips
in 250 quantities, only 14¢ each.



THE PATENTED TEST CONNECTORS THAT MAKE TESTING...SUBSTITUTING...TROUBLE-SHOOTING
EASY...FAST...SAFER

E-Z-HOOK

TEST AND PRODUCTION CONNECTORS

• CLIPS • ADAPTERS • TEST LEADS • PROBES



- Instantly connects anywhere — Won't cut or nick.
- Won't short or jump off — Leaves your hands free.
- Saves time and temper — Money back guarantee.



Patented hook tip connects anywhere. 1. Push to connect. 2. Push again to remove.

U.S. PATENT No. 2702892

HARNESS BOARD CLIPS

- Save Up to 30% in Board Construction Time!
- Speeds wiring... Improves Quality

No need to waste valuable time drilling holes, placing screws, nuts, & washers. The "Nail" Clip drives into wood like a nail! Pulls out as easy. Make Eng. Changes in seconds. Use them to speed Processing—Save Construction & Production time.

Easy finger-tip operation speeds wire placing — makes it easier. Patented E-Z-HOOK holds firmly — won't cut nick or damage wire ends. L. 1 3-16". Made of tough Stainless Steel and Durable Nylon. ... Over 62,000 used by Company X...



E-Z-HOOK "Nail" Clips

No. 81-1	E-Z-HOOK "Nail" Clip (Use T-20 Tool)	24¢ ea.	10 for 1.98
No. K8150T-1	"Nail" Clip Kit (50 Clips, Tool & Instr.)	Wt. 2 oz.	ea. 8.95
No. T-20	E-Z-HOOK "Nail" Clip Driving Tool	Wt. 1-3 oz.	ea. .35

TEST PROD TIP ADAPTERS


- For testing as you like it
- Sharp point to an E-Z-HOOK in seconds

Handiest, most trouble-free adapter you can get. Convenient E-Z-HOOK Tip slips easily on, or off, — in seconds! Doubles regular test prod utility, 1. as a sharp point for probing, 2. as an extra hand when needed. Safer, tool... remote connections made easily while your hand stays out in the clear — safe from shock.


A smart investment in trouble-free design. Exclusive spring chuck eliminates loose, wobbly fit on Prod... insures pleasant, irritation-free performance. ... Over 12,300 used by Company Y...

Made of rust-proof Stainless Steel, Brass, and tough Zytel Nylon in Red, Black, Blue, Green, Orange, and Yellow. Lgth. 2 1-16", O.D. 19-64", Wt. 1-8 oz.

No. 55-0	E-Z-HOOK Tip	(Needle — .060")	ea. .69
No. 56-1	E-Z-HOOK Tip	(Standard — .080")	ea. .69
No. 57-10	E-Z-HOOK Tip	(Tec—10-32 female thread)	ea. .69
No. 59-4	E-Z-HOOK Tip	(Banana — Standard.)	ea. .69



Slips Easily On—Off



Trouble Eliminator
4 springs insure firm grip

PART SUBSTITUTION CLIPS

- Eliminate Guessing

You can be sure! — when you substitute, and this E-Z-H Sub is just the thing to use... quick, easy, temporary connections in seconds... no lead twisting or solder tacking to damage parts or wiring. Speeds trouble-shooting, makes it easier... saves hours and dollars in valuable production time and material.

Long-lasting Zytel Nylon and tough Stainless Steel. In colors for easy lead identification: Red, Black, Blue, Green, Orange, and Yellow. Length 2 1-2", O.D. 19-64", Weight 1-12th oz.

No. 71-1	E-Z-HOOK Sub	ea. .49
----------	--------------	---------



Solderless Clips
Eliminate Broken Lugs

JUMPER - METER CLIPS

- Convert needless delays... to pleasant productive checks

Let carefree E-Z-HOOK Clips help speed your checks... make it easier. They quickly pay for themselves in savings.

Easy slip-on design saves in assembly and maintenance... safe solder connection and strain relief assures longer trouble-free lead life.

... Over 37,000 used by Company Z...

Made of tough Stainless, durable Nylon in colors for easy lead identification: Red, Black, Blue, Green, Orange, Yellow. Lgth. 2 1-8", O.D. 5-8", Wt. 1-13 oz.

No. 61-1	E-Z-HOOK Clip	(Standard)	ea. .39
No. 61-2	E-Z-HOOK Clip	(Gold Plated)	ea. .59



Miniature CLIP & LEADS

- Make Impossible Connections... Easy

Now enjoy famous E-Z-HOOK reliability and performance on your small, sub-miniature jobs, too. Easily make test connections never before possible.

Tiny E-Z-HOOK with the new "Hypo Action" gives you the small size and positive control needed to make such tedious work easier, more efficient, pleasant and profitable.

Use "Q" Balls two ways—1, as a versatile low voltage test connector, 2, as a tiny mechanical hand to handle small parts. Will save you hours of unnecessary delays and aggravation.

Durably constructed of the finest materials—Red Nylon insulation, Stainless Steel spring, & Beryllium Copper conductor to assure reliable performance.

Also available on 32" —Ready-to-Plug-In—Test Leads of flexible Red and Black striped, 24 AWG (19-36) thermoplastic wire—Standard or Banana Tip.

Over all length 2 1-4". Maximum width at hook only .079". Wt. 1-6th oz.

No. X-100	E-Z-HOOK 'Q' Ball Mini-HOOK (No lead)	ea. .49
No. AX-1	E-Z-HOOK 'Q' Ball Test Lead (32"—Std. Tip)	ea. .89
No. BX-1	E-Z-HOOK 'Q' Ball Test Lead (32"—Ban. Tip)	ea. .94



FULL SIZE

SCOPE - METER PROBES


- Now—Special Probes assembled in minutes

Never before such efficiency and convenience in a replacement probe... SPECIAL TERMINALS speeds assembly, makes it easier... E-Z-HOOK for easy time-saving care-free connections... SCREW-ON COVER for ready access and repair... STRAIN-RELIEF prolongs life of single or shielded leads.

For Professional or Production use. Finest streamlined feather-weight construction of rust proof Stainless, durable Zytel Nylon (slide), tough Tenite (body) in Red, Black, Blue, Green, Orange, & Silver. Lgth. 4 3-4", O.D. 15-32", Wt. 1-3 oz.

No. 54-1	E-Z-HOOK Custom PROBE	ea. .89
No. 54-2	E-Z-HOOK Custom PROBE (Gold Plated)	ea. 1.09

We stock these handy time-saving E-Z-HOOKs for your convenience



Custom PROBE



Built-In Terminals
For easy assembly

630514

E-Z-HOOK TEST PRODUCTS • Box 105 • Covington, Ky. •

Canadian Representative:
Len Finkler, Ltd., Toronto, Ontario

E-Z-HOOK®
Box 105 Covington
Ky. 41012

Phone 606-261-1495

E-Z-HOOK®





TEST AND PRODUCTION CONNECTORS

• CLIPS • ADAPTERS • TEST LEADS • PROBES

Pat. No. 2702892

SAVE TIME®
E-Z-HOOKs
SAVE TROUBLE

® E-Z-HOOK is a Reg. T.M.



Designed for Your Pleasure and Profit

World's smallest in size...Biggest in performance!

(E-Z-Mini-HOOK)

Miniature Clip

Standard Clip

Used on: Custom PROBE. Tip, Clip & Sub.

Fingertip Operation

Nylon

Stainless Steel

1.202



No holes to drill, or washers & nuts to place

Harness Cable Board Clip

Harness Cable Board Clips

Use E-Z-HOOK "Nail" Clips to improve quality, to reduce rejects and scrap, to increase production and profits. Write for the Reprint which tells how one Company estimated saving over \$20,000, annually by switching to them.

Catalogue In V.S.M.F. -- ascam **Satisfaction Guaranteed** eem -- Radio Master



QUANTITY PRICE SCHEDULE

Type	Number	List Each	Net- 1-4	5-9	10-24	25-99	100-149	150-249
Custom PROBES	54-1	99¢	89¢	85¢	83¢	80¢	76¢	71¢
	54-2	1.19	1.09	1.04	1.01	98¢	93¢	87¢
Tips	51-1 (obsolete number) changed to 57-10)							
	55-0	79¢	69¢	66¢	64¢	62¢	59¢	55¢
	56-1	79¢	69¢	66¢	64¢	62¢	59¢	55¢
	57-1	79¢	69¢	66¢	64¢	62¢	59¢	55¢
	59-4	79¢	69¢	66¢	64¢	62¢	59¢	55¢
Clips	61-1	49¢	39¢	37¢	36¢	35¢	33¢	31¢
	61-2	69¢	59¢	56¢	55¢	53¢	50¢	47¢
(Subs)	71-1	59¢	49¢	47¢	45¢	44¢	42¢	39¢
("Nail")	81-1	29¢	24¢	22¢	20¢	* 19¢	* 18¢	* 17¢
(Kit)	K8150T-1	9.95	8.95	---	---	---	---	---
(Tool)	T-20	45¢	35¢	33¢	32¢	31¢	29¢	---
("Q" Ball)	X-100	59¢	49¢	47¢	45¢	44¢	42¢	39¢
Test Leads	AX-1	99¢	89¢	85¢	83¢	80¢	76¢	71¢
	BX-1	1.04	94¢	90¢	87¢	85¢	80¢	75¢

*One, T-20 Tool Free with each order of 50 or more clips.

Quantity Price: Quantity prices apply only to the total of a single type number ... Colors may be mixed, but not Types.

GUARANTEE: All E-Z-Hooks Guaranteed to give satisfactory service. Responsibility assumed under this Guarantee is limited to the Repair, Replacement, or Refund of Purchase Price of Defective Connector.

Prices Subject to Change Without Notice.

Patented: U.S. Patent 2702892. All rights reserved.

630520

E-Z-HOOK[®]

TEST AND PRODUCTION CONNECTORS
• CLIPS • ADAPTERS • TEST LEADS • PROBES



eem File System	Sec.
electronic engineers master	2100

1536 Woodburn Avenue
Covington, Ky. 41012
Tel. 606-261-1495

Thank You,

For your interest in E-Z-HOOK Test Connectors. We're happy to send you the information on this new, better way to make your connecting so much easier, more pleasant and profitable.

You'll like the quick, easy, trouble-free connecting you get with E-Z-HOOKs. They slip easily over a test point, and hang on like a fishhook in a trout. They won't jump off !!, and can't short out because such incidents are prevented from happening by a Nylon clamp that holds them firmly in place.

You'll enjoy a new freedom of action in your connecting never before possible. The freedom of action that only positive control and the patented features in the E-Z-HOOK design provides. Lets you make quick, easy connections in close crowded spots, and in, otherwise, impossible, places, too. Connections that won't slip and jump off, or short out, even when the chassis or leads are moved. With them you enjoy a new freedom of action and peace of mind, that is free from distracting irritations and the constant dread that, at any minute, a clip will jump off, or, worse still, short and burn up a part or your meter.

And, You Can't Beat Them For Profitable Connecting, either

Did you ever realize the time that is lost in making ordinary test connections? A few seconds on most connections to make sure it's on good ... up to a minute or more when it slips off ... and even an hour or more repairing the damage when it shorts. Now multiply the seconds a dozen or so times a day ... Add an occasional slip and a short (with the associated salvage) ... Add the constant aggravation that sidetracks your attention; that saps your enthusiasm and morale, and you'll have some idea of the pleasure and profit savings you enjoy with E-Z-HOOK Test Connectors. Here are two examples:

The enclosed Reprint tells you how Westinghouse is enjoying more than \$20,000 in Annual Net Savings, by using E-Z-HOOK "Nail" Clips. (An amount we figure to be over \$23.00 for every \$1.00 spent for them.)

A Correspondence School student never realized he could save so much time with his Lab Experiments until he started using E-Z-HOOK Subs. Now he reports a saving of 2 to 3 hours on some of his lessons and is he pleased with his progress, and with E-Z-HOOKs.

We appreciate this opportunity to tell you more about the pleasure and profit you, too, can enjoy with E-Z-HOOK Test Connectors. How, (for less than a penny per hundred easy, care-free connections), you can turn unnecessary aggravation and costly delays into pleasant, profitable, productive effort. How they are doing it for others, and can do it for you. Order them from your Electronic Parts Distributor, or by mail. Don't delay. Order them Today. Thank You.

Yours for more pleasant and profitable connecting,

Robert N. Youger
Sales Manager

GUARANTEE: E-Z-HOOKs are Guaranteed to be the finest Test Connectors you can get. Try them for 10 Days, and if you are not completely satisfied, return them, along with the sales slip, and we'll be happy to refund your Money. Thank you.



THE PATENTED TEST CONNECTORS THAT MAKE TESTING... SUBSTITUTING... TROUBLE-SHOOTING
EASY . . . FAST . . . SAFER